

# PRESS RELEASE

---

**PRESS RELEASE**September 3, 2019 || Page 1 | 5

---

**Reliable, efficient, and easy on the environment**

## **New Fraunhofer coating process provides effective protection for brake discs**

**More than many other auto parts, brake discs are subject to repeated mechanical loads. As a result of this continual abrasion, they produce fine particulate matter, which pose a substantial environmental burden. Now, however, a new coating process developed by the Fraunhofer Institute for Laser Technology ILT and RWTH Aachen University can significantly reduce this impact. By using "Extreme High-speed Laser Material Deposition", known by its German acronym EHLA, it has proved possible to provide brake discs with an effective protection against wear and corrosion in a procedure that is both fast and economic.**

Traditional brake discs are made of grey cast iron containing lamellar graphite phases. The virtue of this material lies in its good thermal conductivity and high thermal capacity, all for a relatively low price. The downside is a strong propensity to corrode coupled with high material wear during service, which generates substantial emissions of fine particulate matter. To date, it has proved difficult to provide adequate protection for brake discs by means of conventional coating processes such as electroplating or thermal spraying. The problem with such processes is that they do not produce a metallurgical bond between the cast iron and the protective coating; moreover, they are expensive and use a lot of materials.

### **Economic and technical advantages**

Now, however, a new process avoids these drawbacks. Developed by Fraunhofer ILT in Aachen, together with the Chair for Digital Additive Production DAP at RWTH Aachen University, it is known as Extreme High-speed Laser Material Deposition (EHLA).

"The EHLA process is ideal for use in the automotive industry, especially for coating brake discs," explains Thomas Schopphoven, research fellow and team leader of Productivity and System Technology within the Laser Material Deposition group at Fraunhofer ILT. "Conventionally, it's very difficult to coat brake discs, because they have to withstand high loads, and there are also economic and environmental considerations. But with EHLA, it's now possible to apply coatings that form a metallurgical bond with the base material of the disc and therefore adhere very strongly. Unlike conventional coatings, these do not flake and chip."

---

#### **Editorial Notes**

**Petra Nolis M.A.** | Group Manager Communications | Telephone +49 241 8906-662 | [petra.nolis@ilt.fraunhofer.de](mailto:petra.nolis@ilt.fraunhofer.de)  
Fraunhofer Institute for Laser Technology ILT | Steinbachstraße 15 | 52074 Aachen, Germany | [www.ilt.fraunhofer.de](http://www.ilt.fraunhofer.de)

### **Advance on conventional processes**

Coatings produced with conventional processes have pores and cracks. With the EHLA process, the coating remains intact and therefore provides longer and more effective protection for the component. This increases service life and prevents early failure as a result of damage to the surface of the brake disc. Moreover, the process is suitable for a wide range of materials. Therefore, it is possible to select an environmentally friendly coating for each specific application.

The EHLA process is a new process variant on the well-known laser material deposition, which has proved highly successful in areas such as the repair of turbine blades. EHLA does, however, have a number of decisive advantages.

### **High process speed reduces heat input**

With the EHLA process, the powder particles of the coating material are melted directly in the laser beam, rather than in a melt pool on the surface of the component. Since the melt pool now is fed by liquid drops of material rather than solid particles of powder, the coating process is much faster, rising from the 0.5–2 meters per minute with conventional laser material deposition to as much as 500 meters per minute.

This also substantially reduces the exposure to heat of the material being coated. Unlike conventional laser material deposition, where the heat affected zone can have a depth of one or more millimeters, thermal exposure with the EHLA process remains in the micrometer range. This enables the use of entirely new material combinations such as coatings for aluminum or – as with the brake discs – cast-iron alloys.

The low heat input prevents the carbon to dissolve from the brake disc into the melt, otherwise resulting in brittle phases, pores, joining defects and cracks in the coating and bonding zone. In other words, it is now possible for the first time ever to provide brake discs made of gray cast iron with an effective coating that is firmly bonded with the base material.

### **Reliable and resource-efficient process delivering high quality**

With laser material deposition, the coating produced is usually at least half a millimeter in thickness. This consumes a lot of material and also makes finishing substantially more complicated. By contrast, the EHLA process produces very thin layers of between 25 and 250 micrometers. As a result, the coating is both purer and smoother, with roughness reduced to around one-tenth of its previous value.

---

**PRESS RELEASE**September 3, 2019 || Page 2 | 5

---

**FRAUNHOFER INSTITUTE FOR LASER TECHNOLOGY ILT**

Moreover, the EHLA process uses as much as 90 percent of the fed powder material. It is therefore extremely resource-efficient and more economic. The basic requirements for the use in an industrial, mass-production setting are at reach.

---

**PRESS RELEASE**September 3, 2019 || Page 3 | 5

---

Indeed, industrial application could soon be a reality. Initial investigations have demonstrated that the EHLA process is capable of reliably producing coatings – with different material combinations – for conventional brake discs made of gray cast iron. A system that is ready for use in mass production, including a modified grinding process for finishing the components, is currently under construction at the Aachen-based company HPL Technologies.

**Multiple awards for EHLA**

Meanwhile, the virtues of this new process have persuaded the juries from a total of three different prizes for innovation: the Joseph von Fraunhofer Prize in 2017; the Berthold Leibinger Innovationspreis in 2018; and, in the same year, second place in the Stahl-Innovationspreis, in the category “Steel in Research and Development”, as an environmentally friendly laser-based alternative to chrome (VI) coatings.

**Fraunhofer at the IAA 2019**

Details on the EHLA process and other current trends from research and development will be presented, from September 10–13, at the joint Fraunhofer booth (C12, in Hall 4.1) at this year’s IAA international motor show in Frankfurt.

FRAUNHOFER INSTITUTE FOR LASER TECHNOLOGY ILT



**Image 1: Coating a brake disc with the EHLA process.**  
© Fraunhofer ILT, Aachen, Germany / Volker Lannert.


---

**PRESS RELEASE**

September 3, 2019 || Page 4 | 5

---

FRAUNHOFER INSTITUTE FOR LASER TECHNOLOGY ILT



**Image 2: A finished brake disc coated with the EHLA process.**

© Buderus Schleiftechnik,  
ABlar, Germany | HPL  
Technologies, Aachen,  
Germany.

-----  
**PRESS RELEASE**

September 3, 2019 || Page 5 | 5  
-----

---

The **Fraunhofer-Gesellschaft** is the leading organization for applied research in Europe. Its research activities are conducted by 72 institutes and research units at locations throughout Germany. The Fraunhofer-Gesellschaft employs a staff of more than 26,600, who work with an annual research budget totaling 2.6 billion euros. Of this sum, almost 2.2 billion euros is generated through contract research. Around 70 percent of the Fraunhofer-Gesellschaft's contract research revenue is derived from contracts with industry and from publicly financed research projects. International collaborations with excellent research partners and innovative companies around the world ensure direct access to regions of the greatest importance to present and future scientific progress and economic development.

**Contact**

**Dipl.-Ing. Thomas Schopphoven** | Group Laser Material Deposition | Telephone +49 241 8906-8107 | thomas.schopphoven@ilt.fraunhofer.de

**Dr.-Ing. Andres Gasser** | Group Manager Laser Material Deposition | Telephone +49 241 8906-209 | andres.gasser@ilt.fraunhofer.de  
Fraunhofer Institute for Laser Technology ILT | Steinbachstraße 15 | 52074 Aachen, Germany | www.ilt.fraunhofer.de